

SAFETY DATA SHEET

Olimp d.o.o., Benkovac, Croatia

www.olimp-fire.com

Revision: 2.0 Date: April 12.2015.

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

Barbecue Gel (Paraffin)

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1	Product identifier	
	Product Name	Barbecue Gel (Paraffin)
	CAS No.	Mixture.
	EINECS No.	Mixture.
	REACH Registration No.	None assigned.
1.2	Relevant identified uses of the substance or mixture and uses advised against	
	Identified use(s)	Ignition of solid fuels in domestic appliances and BBQ's.
	Uses advised against	None known.
1.3	Details of the supplier of the Safety Data Sheet	
	Manufacturer	Olimp d.o.o. B.selo 157 Benkovac Croatia 23420
	Postal code	
	Telephone	+385 23 684 840
	Fax	+385 23 684 842
	E-Mail (competent person)	proizvodnja@olimp-fire.com, Mr Stanko Plantak
1.4	Emergency telephone number	
	Emergency Phone No.	+385 112 +385 91 10 20 554 +44 (0) 7931831452 24 hours, English Spoken.

2. SECTION 2: HAZARDS IDENTIFICATION

2.1	Classification of the substance or mixture	
2.1.1	Regulation (EC) No. 1272/2008 (CLP)	
2.1.2	Directive 67/548/EEC & Directive 1999/45/EC	
2.2	Label elements	According to Regulation (EC) No. 1272/2008 (CLP).
	Product Name	Barbecue Gel (Paraffin)
	Hazard Pictogram	NA
	Signal word(s)	NA
	Hazard statement(s)	NA
	Precautionary statement(s)	P102: Keep out of reach of children. P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P270: Do not eat, drink or smoke when using this product.
2.3	Other hazards	None known.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Substances in preparations / mixtures

3.2 Mixtures

EC Classification No. 1272/2008

SAFETY DATA SHEET

Olimp d.o.o., Benkovac, Croatia

www.olimp-fire.com

Revision: 2.0 Date: April 12.2015.

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

Hazardous ingredient(s)	%W/W	Identification Number	Registration number(s)	Hazard statement(s)
Alkanes, C11-15-iso-	>75%	CAS# 90622-58-5 EC# 292-460-6	01-2119480162-45-XXXX	Asp. Tox. 1; H304: May be fatal if swallowed and enters airways. EUH066: Repeated exposure may cause skin dryness or cracking.
Non-hazardous ingredients	<25%	-	-	Not classified

EC Classification No. 67/548/EEC

Hazardous ingredient(s)	%W/W	Identification Number	Registration number(s)	EC Classification and Risk Phrases
Alkanes, C11-15-iso-	>75%	CAS# 90622-58-5 EC# 292-460-6	01-2119480162-45-XXXX	R65: Harmful: may cause lung damage if swallowed. R66: Repeated exposure may cause skin dryness or cracking.
Non-hazardous ingredients	<25%	-	-	Not classified

3.3 Additional Information

For full text of H/P phrases see section 16.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation

Unlikely route of exposure. Mixture is a viscous gel. IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Skin Contact

Wash skin with soap and water. If skin irritation occurs: Get medical advice/attention.

Eye Contact

Flush eyes with water for at least 15 minutes while holding eyelids open. If eye irritation persists, get medical advice/attention.

Ingestion

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

4.2 Most important symptoms and effects, both acute and delayed

Repeated exposure may cause skin dryness or cracking.

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media

CO2, Dry Powder, AFFF Foam, Alcohol Resistant Foam or water spray.

Unsuitable Extinguishing Media

Do not use water jet.

5.2 Special hazards arising from the substance or mixture

This product may give rise to hazardous fumes in a fire. Carbon monoxide, Carbon dioxide.

5.3 Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Chemical protection suit. Keep containers cool by spraying with water if exposed to fire. Evacuate if necessary.

SAFETY DATA SHEET

Olimp d.o.o., Benkovac, Croatia

www.olimp-fire.com

Revision: 2.0 Date: April 12.2015.

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010




6. SECTION 6: ACCIDENTAL RELEASE MEASURES

- | | | |
|-----|--|---|
| 6.1 | Personal precautions, protective equipment and emergency procedures | Remove or make safe all sources of ignition. Use personal protective equipment as required. Ensure adequate ventilation. |
| 6.2 | Environmental precautions | Do not allow to enter drains, sewers or watercourses. |
| 6.3 | Methods and material for containment and cleaning up | Sweep up and shovel into waste drums or plastic bags. Transfer to a lidded container for disposal or recovery. Keep away from heat and sources of ignition. |
| 6.4 | Reference to other sections | See Also Section 13. |

7. SECTION 7: HANDLING AND STORAGE

- | | | |
|-----|---|--|
| 7.1 | Precautions for safe handling | Wear suitable gloves if prolonged skin contact is likely. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Keep away from heat and sources of ignition. |
| 7.2 | Conditions for safe storage, including any incompatibilities | Keep only in original container. |
| | Storage Temperature | Ambient. Keep away from heat and direct sunlight. |
| | Storage Life | Stable at ambient temperatures. Keep in a well-ventilated place. |
| | Incompatible materials | Strong oxidising agents |
| 7.3 | Specific end use(s) | Ignition of solid fuels in domestic appliances and BBQ's. |

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- | | | |
|-------|---|--|
| 8.1 | Control parameters | |
| 8.1.1 | Occupational Exposure Limits | Due to the constituents being bonded by the polymerisation process, there are no exposure limits for this product.
No WEL: Workplace Exposure Limit (UK HSE EH40) |
| 8.1.2 | Biological limit value | Not established. |
| 8.1.3 | PNECs and DNELs | Not established |
| 8.2 | Exposure controls | |
| 8.2.1 | Appropriate engineering controls | Provide adequate ventilation. |
| 8.2.2 | Personal protection equipment | Use personal protective equipment as required. |
| | Eye/face protection | Not normally required. |
| |  | |
| | Skin protection (Hand protection/ Other) | Wear suitable gloves if prolonged skin contact is likely. Impervious gloves (EN 374). |
| |  | |
| | Respiratory protection | Normally no personal respiratory protection is necessary. |
| |  | |
| | Thermal hazards | Not applicable. |
| 8.2.3 | Environmental Exposure Controls | Avoid release to the environment. |

SAFETY DATA SHEET

Olimp d.o.o., Benkovac, Croatia

www.olimp-fire.com

Revision: 2.0 Date: April 12.2015.

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Viscous gel.
Colour	White.
Odour	Petroleum spirit
Odour Threshold (ppm)	Not established.
pH (Value)	Not available.
Melting Point (°C) / freezing point	Not available.
Boiling Point (°C) and boiling range	Not available.
Flash Point (°C)	Contains Paraffin with F.P. 70 °C
Evaporation rate	Not available.
Flammability (solid, gas)	Not classed as flammable but will readily support combustion
Explosive limit ranges	Not applicable.
Vapour Pressure (mm Hg)	Not available.
Vapour Density (Air=1)	Not available.
Relative Density	0.7g/cm ³ @ 20°C (mixture)
Solubility(ies)	Miscible.
Partition Coefficient (n-Octanol/water)	Not available.
Auto Ignition Temperature (°C)	Not available.
Decomposition Temperature (°C)	Not available.
Viscosity	Gel (mixture) kinematic viscosity >20,5 mm ² /s
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

9.2 Other information

None.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Stable under normal conditions.
10.4 Conditions to avoid	Keep away from heat and direct sunlight. Avoid contact with heat and ignition sources.
10.5 Incompatible materials	Strong oxidising agents.
10.6 Hazardous Decomposition Product(s)	Decomposition products may include oxides of carbon.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

11.1.1 Mixture

Acute toxicity	Not classified.
Irritation	Not classified, however repeated and/or prolonged skin contact may cause irritation. May cause irritation to eyes, skin and air passages.
Corrosivity	Not classified.
Sensitisation	It is not a skin sensitiser.
Repeated dose toxicity	Not classified.
Carcinogenicity	No evidence of carcinogenicity.
Mutagenicity	There is no evidence of mutagenic potential.
Toxicity for reproduction	Not classified.

11.2 Other information

None.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Not classified. Low acute toxicity.
12.2 Persistence and degradability	The substance is substantially biodegradable after 28 days.
12.3 Bioaccumulative potential	The product has potential for bioaccumulation.

SAFETY DATA SHEET

Olimp d.o.o., Benkovac, Croatia

www.olimp-fire.com

Revision: 2.0 Date: April 12.2015.

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

12.4	Mobility in soil	The product, in solid form, is unlikely to infiltrate the ground or disperse into the air.
12.5	Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
12.6	Other adverse effects	Breakdown of the product in water, although unlikely, may release fuel which may be harmful to aquatic organisms.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	Normal disposal is via incineration operated by an accredited disposal contractor. Disposal should be in accordance with local, state or national legislation.
13.2	Additional Information	Uncleaned packaging may contain small amounts of flammable product so care is needed to avoid ignition sources.

14. SECTION 14: TRANSPORT INFORMATION

14.1	UN number	NA
14.2	UN Proper Shipping Name	NA
14.3	Transport hazard class(es)	NA
14.4	Packing Group	NA
14.5	Environmental hazards	NA
14.6	Special precautions for user	NA
14.7	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	NA
14.8	Additional Information	NA

15. SECTION 15: REGULATORY INFORMATION

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	
15.1.1	EU regulations	
	Authorisations and/or restrictions on use	None known.
15.1.2	National regulations	None known.
15.2	Chemical Safety Assessment	Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheets (SDSs) and C&L for Alkanes C11-15 iso (CAS# 90622-58-5, EC# 292-460-6).

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP).

Asp. Tox. 1; H304

EUH066: Repeated exposure may cause skin dryness or cracking.

Classification Procedure

Not classified as Asp. Tox. 1 due to kinematic viscosity testing.

Not required based on human experience.

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative

Disclaimers

SAFETY DATA SHEET

Olimp d.o.o., Benkovac, Croatia

www.olimp-fire.com

Revision: 2.0 Date: April 12.2015.

**ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010**

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose Olimp d.o.o. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Olimp d.o.o. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS) No information available.